

When PAH symptoms make you miss out on daily activities...

CAPTURE MORE
good days
WITH ORENITRAM



What to expect when you start treatment

You've just been prescribed Orenitram—knowing what to expect next can help you successfully get started on therapy.

Use the Getting Started Checklist on the back cover to help guide you through the start of treatment.

IMPORTANT SAFETY INFORMATION for Orenitram

Who should not take Orenitram?

Do not take Orenitram if you have severe liver problems.

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.

PAH=pulmonary arterial hypertension.


orenitram[®]
treprostiniil
EXTENDED-RELEASE TABLETS

More good days start with Orenitram

You and your healthcare provider have decided to add Orenitram to your PAH treatment plan—a medicine proven to delay the progression of PAH and may help improve symptoms.

Proven to delay disease progression


In a clinical study, patients who added Orenitram were...

61% LESS LIKELY TO HAVE THEIR PAH PROGRESS OVER TIME
COMPARED WITH THOSE NOT TAKING ORENITRAM*

Orenitram may help you do more and help control your PAH



9 out of 10 patients improved or maintained their ability to do more daily activities with fewer symptoms, as measured by functional class*




Reduced strain on their heart—that means your heart doesn't have to work as hard to pump blood to your lungs*

In as little as
3 MONTHS



Decreased shortness of breath during daily activities*



Increased their ability to walk farther, as measured by 6-minute walk distance test†

What is Orenitram?

Orenitram is a prescription medicine used to treat pulmonary arterial hypertension (PAH) which is high blood pressure in the arteries of your lungs. Orenitram can help slow down the progression of your disease and improve your ability to exercise. It is not known if Orenitram is safe and effective in children.



Orenitram may help improve your risk status*



Patients taking Orenitram either improved or maintained their risk status—and improvement was seen as early as 3 months. In fact, more than 30% of patients improved and were able to maintain improvement through week 60.

Your healthcare provider may use risk status to make decisions about your treatment. It helps them determine how you're doing today and predict how you will be doing in the future.

You can feel confident starting Orenitram—the tablet form of the same proven and trusted type of medicine that has been available as a pump therapy for more than 18 years.

*In a clinical study that included 690 patients who were all taking a single oral PAH medicine (PDE-5i, sGCS, or ERA). At the beginning of the study, these patients added either Orenitram or placebo to their treatment.

†In a clinical study that included 349 patients not taking any PAH therapy. At the beginning of the study, these patients began taking either Orenitram or placebo.

IMPORTANT SAFETY INFORMATION for Orenitram

What should I tell my healthcare provider before taking Orenitram?

Tell your healthcare provider:

- If you have liver problems or diverticulosis.

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.

ERA=endothelin receptor antagonist; PDE-5i=phosphodiesterase type 5 inhibitor; sGCS=soluble guanylate cyclase stimulator.


orenitram[®]
treprostinil
EXTENDED-RELEASE TABLETS



Support from the start

Get to know your Access Solutions and Support Team (ASSIST)



ASSIST is a team at United Therapeutics, the maker of Orenitram, committed to helping you with your prescription. Within 24 hours of receiving your Orenitram prescription, ASSIST will contact you so they can:

- Verify your insurance information
- Review next steps
- Discuss eligibility for financial assistance options such as the Orenitram co-pay program
- Connect you with a Specialty Pharmacy

IMPORTANT SAFETY INFORMATION for Orenitram

What should I tell my healthcare provider before taking Orenitram? (cont)

Tell your healthcare provider:

- If you are pregnant, breastfeeding, and/or plan to become pregnant or breastfeed. It is not known if Orenitram will harm your unborn baby or if Orenitram passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during treatment with Orenitram.



Be sure to answer or return any calls from ASSIST so you can get started on your treatment with Orenitram. The caller ID will be labeled as ASSIST, with a Melbourne, Florida, area code of 321.

You can reach an ASSIST Case Manager Monday through Friday, 8:30 AM–7:00 PM ET, by calling 1-877-864-8437

Or you can visit:

www.UTAssist.com/patient

An ASSIST team member will be available throughout the process to answer any questions you have.

IMPORTANT SAFETY INFORMATION for Orenitram

What should I tell my healthcare provider before taking Orenitram? (cont)

Tell your healthcare provider:

- **About all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Orenitram and other medicines may affect each other causing side effects. Do not start any new medicine until you check with your healthcare provider. Especially tell your healthcare provider if you take another medicine that contains tadalafil, such as Remodulin® or Tyvaso®.

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.


orenitram[®]
tadalafil
EXTENDED-RELEASE TABLETS

Getting started with your Specialty Pharmacy

After your initial call with ASSIST, they will forward your prescription, insurance information, and financial program eligibility to your Specialty Pharmacy (SP).

What is a Specialty Pharmacy and how can it help?



Specialty Pharmacies provide extra services compared with retail pharmacies and will work with your healthcare team to coordinate various aspects of your treatment. Your Specialty Pharmacy is also there to help answer any questions about your treatment.

Some aspects of your treatment that your SP will help you with include:

- ✓ Reviewing all your insurance information
- ✓ Scheduling nurse visits to get you started with treatment
- ✓ Educating you on taking and slowly increasing Orenitram over time, and side effect management tips through in-person or virtual visits and 24-hour phone support
- ✓ Coordinating the delivery of your medicine

IMPORTANT SAFETY INFORMATION for Orenitram

How should I take Orenitram?

- **Do not change your dose or suddenly stop taking Orenitram without first talking to your healthcare provider.**
- Orenitram is usually taken 3 times a day (about every 8 hours) or 2 times a day (about every 12 hours). Your healthcare provider will tell you how often you should take Orenitram. If you have side effects, your healthcare provider may tell you to change your dose or when you take Orenitram. Take Orenitram with food.



At United Therapeutics, we work with two Specialty Pharmacies that specialize in PAH. Your Orenitram prescription will be handled and delivered by these SPs, instead of your local pharmacy.

Your insurance provider will determine which one of these you will work with.

accredo[®]

♥ **CVS** specialty[™]

IMPORTANT SAFETY INFORMATION for Orenitram

How should I take Orenitram? (cont)

- Swallow Orenitram tablets whole. Do not split, chew, crush, or break your Orenitram tablets. Do not take Orenitram tablets that are damaged or broken. **If Orenitram tablets are not taken whole, they may release too much medicine at one time. This can lead to side effects.**

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.


orenitram[®]
treprostiniil
EXTENDED-RELEASE TABLETS



Additional resources to help you get started on Orenitram



Cost savings

With our co-pay program, eligible patients may pay as little as \$5 per prescription for Orenitram.* Contact your Specialty Pharmacy to learn more or call ASSIST at 1-877-864-8437 to learn more and enroll. You can also enroll at www.UTcopay.com.




Orenitram Connect

Sign up for helpful resources that will give you additional information about Orenitram. These resources include e-newsletters with useful tips, information about your treatment, and other helpful tools. Visit www.orenitram.com to sign up.

IMPORTANT SAFETY INFORMATION for Orenitram

How should I take Orenitram? (cont)

- If you miss your dose of Orenitram, take the missed dose as soon as possible with food.
- If you miss 2 or more doses of Orenitram, call your healthcare provider to see if you need to change your dose.
- If you take too much Orenitram, call your healthcare provider or go to the nearest hospital emergency room right away.



Patient Starter Kit

You will receive a kit with your first shipment of Orenitram. Inside you will find an assortment of helpful resources to ensure you are set up for a successful start with Orenitram.

*TO ENROLL IN THIS PROGRAM, YOU MUST UNDERSTAND AND AGREE TO COMPLY WITH THE ELIGIBILITY REQUIREMENTS AND TERMS OF USE.

Eligibility requirements for this program are:

Patients must be 18 years or older to use this Program. The Program is valid only for patients with commercial (also known as private) insurance who are taking the medication for an FDA-approved indication. Patients using Medicare, Medicaid, or any other state or federal government program to pay for their medications are not eligible. Patients who start utilizing government coverage during the term of the Program will no longer be eligible. Eligible patients must be residents of the United States or Puerto Rico.

For full program details and Terms and Conditions, visit www.UTcopay.com.

IMPORTANT SAFETY INFORMATION for Orenitram

How should I take Orenitram? (cont)

- You may see the tablet shell in your stools (bowel movements). This is usually normal. The tablet shell is not digested. If you have diverticulosis, the tablet shell may get stuck in a blind pouch or diverticulum in your intestine.

What are the possible side effects of Orenitram?

Orenitram can cause serious side effects, including worsening of PAH symptoms.

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.


orenitram[®]
treprostiniil
EXTENDED-RELEASE TABLETS

Develop a plan to help you capture more good days

Orenitram may cause side effects. Because of the way Orenitram works, it's possible you may experience side effects before you feel the medicine working to improve your symptoms.

Talk with your healthcare provider about potential side effects so you know what to expect.

Having a plan ahead of time can help you stay with treatment, giving you the opportunity to do more and help control PAH in your daily life.



Fill in the area below to help remember the plan that you and your healthcare provider discussed, including additional medications, supplements, or other techniques to help lessen side effects. It is important to pick up some of these medications before you get your first shipment of Orenitram so you have a plan in place from the start of treatment.

Prescription*	OTC	Medication	Intended Use
<input type="radio"/>	<input type="radio"/>		
<input type="radio"/>	<input type="radio"/>		
<input type="radio"/>	<input type="radio"/>		

*These medications will require a prescription from your healthcare provider.

IMPORTANT SAFETY INFORMATION for Orenitram

What are the possible side effects of Orenitram? (cont)

- Stopping Orenitram suddenly may cause worsening of your PAH symptoms.
Do not change your dose or suddenly stop taking Orenitram without first talking to your healthcare provider.

OTC=over-the-counter.

Fill in the area below with your healthcare provider's information and anything you want to remember to discuss or ask during your next visit.

Healthcare Provider's Name:

Healthcare Provider's Phone Number:

Notes/Questions:

IMPORTANT SAFETY INFORMATION for Orenitram

What are the possible side effects of Orenitram? (cont)

- **The most common side effects of Orenitram include** headache, diarrhea, nausea, vomiting, flushing, and pain in arms, legs, and jaw. These are not all of the possible side effects of Orenitram. Tell your healthcare provider if you have any side effect that bothers you or does not go away.
- Call your healthcare provider for medical advice about side effects. You may report side effects to the FDA at www.fda.gov/MedWatch or call 1-800-FDA-1088.

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.



Orenitram **Getting Started Checklist**



It's time to capture more good days with Orenitram

The following checklist will guide you through the first steps of your treatment journey with Orenitram.



- You and your healthcare provider decide Orenitram is right for you
- Receive a call from ASSIST to verify insurance information and discuss eligibility for cost assistance
- Receive a call from the Specialty Pharmacy to schedule your first Orenitram shipment and first in-home or virtual nurse visit to teach you how to take Orenitram

Specialty Pharmacy information:

- Work with ASSIST or your Specialty Pharmacy to see if you're eligible for the co-pay program
- Sign up for Orenitram Connect at www.orenitram.com

Visit www.orenitram.com and talk to your healthcare provider to answer any questions you may have.

IMPORTANT SAFETY INFORMATION for Orenitram

The risk information provided here is not comprehensive. To learn more about Orenitram, talk with your healthcare provider. Please see Full Prescribing Information and Patient Information at www.orenitram.com or call Customer Service at 1-877-UNITHER (1-877-864-8437).

OREISIconOCT19

Please see complete Important Safety Information throughout this brochure and Full Prescribing Information and Patient Information for Orenitram at www.orenitram.com.

Orenitram is a registered trademark of United Therapeutics Corporation.

© 2020 United Therapeutics Corporation. All rights reserved.

US/ORE/0466


orenitram[®]
treprostinil
EXTENDED-RELEASE TABLETS